





## 6. REFERENCES

- [1] Zhang, L., Fielding, B., Kinghorn, P., and Mistry, K. 2016. A Vision Enriched Intelligent Agent with Image Description Generation. In *Proceedings of International Conference of Autonomous Agents and Multiagent Systems*. Singapore.
- [2] G'Mussel, A.S. and Hewig, J. 2013. The value of a smile: Facial expression affects ultimatum-game responses. *Judgment and Decision Making*, 8 (3), 381-385.
- [3] Zhang, L., Jiang, M., Farid, D., and Hossain, A.M. 2013. Intelligent Facial Emotion Recognition and Semantic-based Topic Detection for a Humanoid Robot. *Expert Systems with Applications*, 40 (2013), pp. 5160-5168.
- [4] Zhang, L., Mistry, K., Jiang, M., Neoh, S.C., and Hossain, M.A. 2015. Adaptive facial point detection and emotion recognition for a humanoid robot. *Computer Vision and Image Understanding* 140 (2015) 93-114.
- [5] Vural, E., Cetin, M., Ercil, A., Littlewort, G., Bartlett, M., and Movellan, J. 2008. Automated Drowsiness Detection for Improved Driver Safety. In *Proceedings of the International Conference on Automotive Technologies*, 2008.
- [6] Lucey, P., Cohn, J.F., Kanade, T., Saragih, J., Ambadar, Z., and Matthews, I. 2010. The extended Cohn-Kanade dataset (CK+): a complete expression dataset for action unit and emotion-specified expression, in *Proceedings of the Third International Workshop on CVPR for Human Communicative Behavior Analysis*, San Francisco, USA, 2010, pp. 94-101.
- [7] Pantic, M., Valstar, M.F., Rademaker, R., and Maat, L. 2005. Web-based database for facial expression analysis, in *Proceedings of IEEE Int'l Conf. Multimedia and Expo*, Amsterdam, The Netherlands, pp. 317-321.
- [8] Ojala, T., Pietikäinen, M., and Harwood, D. 1996. A comparative study of texture measures with classification based on featured distribution, *Pattern Recognition* 29 (1) (1996) 51-59.
- [9] Cootes, T.F., Taylor, C.J., Cooper, D. J., and Graham, J. 1995. Active Shape Models- Their training and Applications, in *Computer Vision and Image Understanding*, Vol. 61, pp. 38-59.
- [10] Mistry, K., Zhang, L., Neoh, S.C., Lim, C.P., and Fielding, B. 2016. A micro-GA Embedded PSO Feature Selection Approach to Intelligent Facial Emotion Recognition. *IEEE Transactions on Cybernetics*. doi: 10.1109/TCYB.2016.2549639.
- [11] Neoh, S.C., Zhang, L., Mistry, K., Hossain, M.A., Lim, C.P., Aslam, N., and Kinghorn, P. 2015. Intelligent Facial Emotion Recognition Using a Layered Encoding Cascade Optimization Model. *Appl Soft Comput.* Volume 34, 72-93.
- [12] Yang, X. S. (2008). Nature-inspired metaheuristic algorithms. Luniver Press.
- [13] Yang, X.S. 2010. Firefly algorithm, Levy's flight and global optimization, *Research and Development in intelligent systems* 26, pp. 209-218.
- [14] Jordehi, A.R. 2015. Enhanced leader PSO (ELPSO): A new PSO variant for solving global optimisation problems. *Appl Soft Comput.* 26, pp. 401-417.
- [15] Zhang, Y., Zhang, L., Neoh, S.C., Mistry, K., and Hossain, M.A. 2015. Intelligent affect regression for bodily expressions using hybrid particle swarm optimization and adaptive ensembles. *Expert Systems with Applications*, 42 (22). pp. 8678-8697.
- [16] Zhang, L., Mistry, K., Neoh, S.C. and Lim, C.P. 2016. Intelligent facial emotion recognition using moth-firefly optimization. *Knowledge-Based Systems*. Volume 111, Nov. 2016, 248-267.