

Resilient group consensus in heterogeneously robust networks with hybrid dynamics

Yilun Shang 

Department of Computer and Information Sciences, Northumbria University, Newcastle, UK

Correspondence

Yilun Shang, Department of Computer and Information Sciences, Northumbria University, Newcastle, UK.
Email: yilun.shang@northumbria.ac.uk

Communicated by: A. Debbouche

Funding information

Northumbria University, Grant/Award Number: 201920A1001

This paper studies resilient coordinated control over networks with hybrid dynamics and malicious agents. In a hybrid multi-agent system, continuous-time and discrete-time agents concurrently exist and communicate through local interaction. We introduce the notion of heterogeneous robustness to capture the topological structure and facilitate convergence analysis of hybrid agents over multiple subnetworks, where the exact number and identities of malicious agents are not known. A hybrid resilient strategy is first designed to ensure group consensus of the heterogeneously robust network admitting completely distributed implementation. We then develop a scaled consensus protocol which allows different clusters within each subnetwork, providing further flexibility over the resilient control tasks. Finally, some numerical examples are worked out to illustrate the effectiveness of theoretical results.

KEYWORDS

applications of graph theory, consensus, hybrid network, nonlinear systems in control theory, robustness

MSC CLASSIFICATION

93B70; 34A38; 93C10; 93D50

1 | INTRODUCTION

Distributed coordination in networked systems since their inception has attracted much research attention across computer science, system theory, control engineering, applied mathematics, complex networks, and the like. Consensus seeking¹ is one of the most popular topics in this area, where a group of agents interact locally to exchange information and reach a global objective of agreeing on some quantities of interest. The study of consensus problems is motivated by, for example, data fusion in sensor networks,² formation control of unmanned aerial vehicles,³ opinion dynamics in social networks,⁴ and animal herding and flocking behaviors.⁵ Ample convergence results have been reported for networked systems with discrete-time dynamics and continuous-time dynamics; see the work^{1,6,7} and references therein.

In many networked complex systems, there are both continuous-time and discrete-time agents working collaboratively giving rise to a hybrid multi-agent system.⁸ Heating and cooling systems,⁹ for instance, consist of air conditioners and furnaces operating in continuous time while thermostats operate in discrete time. A sample-and-hold circuit, where a digital device controls an analog plant, is another typical example of coordinated hybrid system. A wide range of applications of hybrid systems have been found in, e.g., multi-cell wireless networks and cyber-physical systems including power grids.^{10,11} In Zheng et al,¹² three kinds of control protocols are designed to achieve consensus in first-order hybrid

This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

© 2020 The Authors. *Mathematical Methods in the Applied Sciences* published by John Wiley & Sons Ltd.

systems. Some necessary and sufficient conditions guaranteeing consensus are derived based on matrix analysis. The results are later extended to second-order multi-agent systems.¹³ A game-theoretic approach is developed in Ma et al.¹⁴ to tackle consensus in hybrid multi-agent systems featuring a cost function for interacting agents. As the capability of preventing faults and adversarial attacks is essential in many engineered and natural systems, a resilient version of consensus in hybrid systems is introduced in Shang,¹⁵ where each agent removes a given number of the highest and lowest values amongst those received from its neighbors. This extends the class of Weighted-Mean-Subsequence-Reduced algorithms (W-MSR), which has played an important role in dealing with Byzantine nodes in networked control systems.¹⁶⁻²⁰

An overarching assumption of the W-MSR algorithms in the literature is that each normal agent in the network knows a priori a given maximum number r of agents which are malicious. Normal agents then are allowed to remove some number of values that are most far from its own during the interaction with neighbors in order to eliminate the influence of potentially deceptive information. To ensure resilient consensus, the entire underlying communication network is required to be sufficient robust, which imposes a rather restrictive and rigid connectivity condition¹⁵⁻²⁰ for many real-world networks as practical networks are often heterogeneously connected and have unequal connectedness/robustness in parts. In mobile networks, for example, irregular deployment of gateway nodes gives rise to heterogeneous connectivity.²³ In combat networks involving different parts of force nodes, intelligence nodes, and command and control nodes,²⁴ heterogeneous functional robustness is shown to improve overall network performance.

In this paper, we develop distributed protocols for resilient consensus over complex networks with heterogeneous robustness. We introduce the method of group consensus to W-MSR algorithms in order to allow convergence to different subgroup-level consensus values. In our resilient consensus framework, the agent dynamics are assumed to be hybrid continuing the line of research in the work.¹²⁻¹⁵ The main novelty of the work is summarized as follows. First, we extend the monolithic network robustness concept¹⁵⁻²⁰ to accommodate heterogeneously robust subgroups of agents; cf. Definition 1 and Definition 2. This provides needed flexibility in practical applications. Second, resilient control protocols are designed to achieve group consensus on directed networks with hybrid agent dynamics; cf. Section 2.3. This generalizes Shang¹⁵ to allow for subgroup-level individual consensus behavior, which, to the best of our knowledge, has so far only been investigated for systems containing either all discrete-time agents^{25,26} or all continuous-time agents.²⁷⁻²⁹ Finally, as a further generalization, resilient scaled group consensus protocols are designed to achieve scaled consensus in each subnetwork containing hybrid agents, where the values of agents reach any prescribed ratio instead of a consistent value. Scaled group consensus problem has been studied for agents with discrete-time dynamics³⁰ as well as continuous-time dynamics,³¹ but no fault-tolerant feature has been considered in these works.

It is worth noting that resilient group consensus problems have been approached very recently in Öksüz and Akar³² for discrete-time agents in a different spirit. The network considered there is structured into multiple functional layers according to certain connectivity properties, and conditions for distribution of normal and adversarial nodes in these layers are proposed to guarantee group consensus without a fault-tolerant strategy.

In the context of consensus problems of multi-agent systems, a different type of hybridity alternating between discrete and continuous behaviors in the same system has also been investigated in the literature.^{21,22} Such problems have been studied under the name of “switched multi-agent systems”. In this sense, the hybrid systems studied in the present paper might be better interpreted as hybrid networks as the hybridity lies more in the type of nodes.

The rest of the paper is organized as follows. In Section 2, we provide some preliminaries, hybrid system model, and our resilient consensus strategy. In Section 3, we present our main results with convergence analysis. Some numerical examples are given in Section 4. The paper is concluded in Section 5.

2 | PRELIMINARIES

Some graph theory preliminaries, the hybrid system model, and heterogeneous resilient strategy are detailed in this section.

2.1 | Graph theory

We denote by \mathbb{R} and \mathbb{N} the sets of real numbers and non-negative integers, respectively. A directed graph (or network) $G = (V, E)$ of order n is composed of the node set $V = \{v_1, v_2, \dots, v_n\}$ and the edge set $E \subseteq V \times V$. The nodes are often referred to as agents in distributed coordination and are partitioned as $V = N \cup M$, where N is composed of all normal agents and M encompasses the agents which may be malicious or adversarial; see Definition 3 below. The identities of malicious agents are generally not known by the normal agents, which could make the consensus-seeking process very challenging. We

divide the graph G into Θ subgraphs $G_\theta = (V_\theta, E_\theta)$ for $\theta = 1, 2, \dots, \Theta$, where $V_1 = \{v_1, v_2, \dots, v_{n_1}\}$, $V_2 = \{v_{n_1+1}, \dots, v_{n_1+n_2}\}$, \dots , $V_\Theta = \{v_{n_1+\dots+n_{\Theta-1}+1}, \dots, v_{n_1+\dots+n_\Theta}\}$, and $E_\theta \subseteq E$ contains directed edges within V_θ . Here, $|V_\theta| = n_\theta$ represents the number of agents in the θ -th subgroup for $1 \leq \theta \leq \Theta$, and $n = \sum_{\theta=1}^{\Theta} n_\theta$.

The edge $(v_i, v_j) \in E$ indicates that agent v_i can send information to agent v_j by means of the network topology G . Let $N_i = \{v_j \in V: (v_j, v_i) \in E\}$ be the set of all neighbors of agent $v_i \in V$, and $N_i = \cup_{\theta=1}^{\Theta} N_{i\theta}$, where $N_{i\theta} = N_i \cap V_\theta = \{v_j \in V_\theta: (v_j, v_i) \in E\}$ consists of neighbors of v_i within subgraph G_θ . A directed path from an agent v_i to a different agent v_j is a sequence of edges $(v_i, v_{i_1}), (v_{i_1}, v_{i_2}), \dots, (v_{i_{l-1}}, v_j)$ in G . If there exists a directed path from v_r to all other nodes in V , then G is said to have a directed spanning tree with root node v_r . Given $r \in \mathbb{N}$, a subset $S \subseteq V$ is called r -reachable¹⁶ if there is some node $v_i \in S$ satisfying $|N_i \setminus S| \geq r$. Furthermore, the graph G is called r -robust if for any two nonempty and mutually exclusive subsets $S_1, S_2 \subseteq V$ at least one of them is r -reachable. Some basic properties of robust graphs are summarized as follows.

Lemma 1 (¹⁶). *Fix $s, r \in \mathbb{N}$ ($s < r$), and assume that H is obtained by removing up to s incoming edges of every node in an r -robust directed graph G . Then H is $(r-s)$ -robust. Moreover, G is a 1-robust directed graph if and only if G contains a directed spanning tree.*

Given $r_\theta \in \mathbb{N}$ for $1 \leq \theta \leq \Theta$, we extend the graph robustness concept to the heterogeneous robustness.

Definition 1 ((r_1, \dots, r_Θ) -robustness). The graph G is called (r_1, \dots, r_Θ) -robust if G_θ is r_θ -robust for $\theta = 1, \dots, \Theta$.

Intuitively, a graph G is (r_1, \dots, r_Θ) -robust if each of its constituent subgraph possesses the specified extent of connectivity. Note that if $r_\theta \equiv r$ for all $1 \leq \theta \leq \Theta$, then an r -robust graph G must be (r_1, \dots, r_Θ) -robust. However, (r_1, \dots, r_Θ) -robustness of G does not imply r -robustness for any number r . For example, if G does not have a spanning tree, then by Lemma 1, G is not r -robust for any $r \in \mathbb{N}$.

2.2 | Hybrid system model

We consider a hybrid multi-agent system over the network G with both discrete-time and continuous-time agents. In each subgroup V_θ , we partition the nodes into two sets: V_θ^D represents the set of discrete-time agents and $V_\theta^C = V_\theta \setminus V_\theta^D$ denotes the set of agents with continuous-time dynamics. Define $V^C = \cup_{\theta=1}^{\Theta} V_\theta^C$ and $V^D = \cup_{\theta=1}^{\Theta} V_\theta^D$ the sets composing all continuous-time and discrete-time agents, respectively. Hence, $V = V^C \cup V^D$. The state of the agent v_i at time $t \geq 0$ is denoted by $x_i(t) \in \mathbb{R}$ if it has continuous-time dynamics and denoted by $x_i(k) \in \mathbb{R}$ at time $k \in \mathbb{N}$ if it has discrete-time dynamics.

Definition 2 (Resilient group consensus for hybrid systems). The normal agents in G are said to achieve resilient group consensus if the following two conditions hold for all $1 \leq \theta \leq \Theta$. (i) Validity: For any $v_i \in N \cap V_\theta$ and $t \geq 0$, $x_i(t) \in [\min_{v_j \in N \cap V_\theta} x_j(0), \max_{v_j \in N \cap V_\theta} x_j(0)]$; and (ii) Convergence: For any initial conditions $\{x_i(0)\}_{v_i \in V}$, there exists $\ell_\theta \in \mathbb{R}$ such that $\lim_{k \rightarrow \infty} x_i(k) = \ell_\theta$ for $v_i \in N \cap V_\theta$ and $\lim_{t \rightarrow \infty} x_i(t) = \ell_\theta$ for $v_i \in N \cap V_\theta^C$.

For $k \in \mathbb{N}$, the dynamics of a continuous-time normal agent $v_i \in N \cap V^C$ follows

$$\dot{x}_i(t) = f_i^C(\{x_j^i(t) : v_j \in (N_i \cup \{v_i\}) \cap V^C\} \cup \{x_j^i(k) : v_j \in N_i \cap V^D\}), \quad t \in [k, k+1), \quad (1)$$

and the dynamics of a discrete-time normal agent $v_i \in N \cap V^D$ can be written as

$$x_i(k+1) = f_i^D(\{x_j^i(k) : v_j \in N_i \cup \{v_i\}\}), \quad (2)$$

where $x_j^i(t)$ means the state value sent from agent v_j to agent v_i at time t , and we assume $x_j^i(t) = x_j(t)$ for any normal $v_j \in N$. Here, the functions $f^C(\cdot)$ and $f^D(\cdot)$ govern the state update of the normal node v_i . For agent $v_i \in V^D$ with discrete-time dynamics, we will write $x_j^i(t) := x_j^i(k)$ when $t \in [k, k+1)$ for simplicity.

Malicious agents in M , on the other hand, may use different update rules that are unavailable to normal ones. A formal definition of malicious agents is as follows.

Definition 3 (Malicious agents). $v_i \in M \cap V^C$ (or $v_i \in M \cap V^D$, respectively) is called malicious if it does not follow the update rule f_i^C (or f_i^D , respectively), or at some time $t > 0$ it transmits different values to different neighbors.

Malicious agents are sometimes referred to as Byzantine in the study of, for example, wireless sensor networks, where sensors may communicate to their neighbors by peer-to-peer communication or broadcasting data.^{18,19,33} (A caveat that

there are different definitions in the literature, e.g., LeBlanc et al.¹⁶ defines malicious nodes to be those simply not applying the normal rules and Byzantine nodes the same as Definition 3.) A malicious agent is able to apply potentially any destructive strategy as well as collude with other malicious agents and hence viewed as notoriously dangerous. We set an upper bound on the number of malicious agents that a normal agent has in its neighborhood. In particular, given $r_\theta \in \mathbb{N}$ ($1 \leq \theta \leq \Theta$), we consider the (r_1, \dots, r_Θ) -bounded model, where $|N_i \cap M| \leq r_\theta$ for any $v_i \in N \cap V_\theta$ ($1 \leq \theta \leq \Theta$). When $r_\theta \equiv r$ for all θ , our (r_1, \dots, r_Θ) -bounded model reduces to the r -locally bounded model, which has been studied in various fault-tolerant settings in the literature.^{16,18,34}

The Dini derivative³⁵ of a function $f(t) : \mathbb{R} \rightarrow \mathbb{R}$ is defined as $D^+ f(t) = \limsup_{h \rightarrow 0^+} (f(t+h) - f(t))/h$. Dini derivative is a suitable language in the study of stability properties of functional differential equations, and it will be used in Theorem 2 to analyze the Lyapunov-like functional. To allow the normal agent in each subgraph to achieve consensus, we develop the following purely distributed heterogeneous resilient strategy extending the W-MSR protocols.

2.3 | Hybrid (r_1, \dots, r_Θ) -resilient strategy

Fix $r_1, r_2, \dots, r_\Theta \in \mathbb{N}$. For any $k \in \mathbb{N}$, a normal agent $v_i \in N \cap V_\theta^C$ ($1 \leq \theta \leq \Theta$) at $t \in [k, k+1)$ takes the value $x_j^i(t)$ from its neighbor v_j , and sorts $\{x_j^i(t)\}_{v_j \in N_i}$ in a non-increasing order (recall that $x_j^i(t) = x_j^i(k)$ if $v_j \in V^D$). We then perform a two-round removal procedure; see the algorithm below. In the first round, we remove values in the above ordered list sequentially starting from the highest value until r_θ values in $N_{i\theta}$ that are higher than $x_i(t)$ are removed. If there are less than r_θ values that are higher than $x_i(t)$ in $N_{i\theta}$, the above removal process continues until all these values are removed. Analogously, we perform the same removal process for the lowest values. In the second round, let $\Gamma_i(t)$ be the set of values in $N_{i\theta}$ that are higher than $x_i(t)$ in the remaining list. We remove all remaining values that are higher than $\max\{\Gamma_i(t) \cup x_i(t)\}$. Similarly, we perform the analogous removal process for the values that are lower than $x_i(t)$. Finally, we denote by $R_i(t)$ the set of values (or equivalently, the nodes holding these values) that are removed in the above two-round removal procedure of v_i at time t . The agent $v_i \in N \cap V_\theta^C$ updates its value through the following $f_i^C(\cdot)$ in (1):

$$\begin{aligned} \dot{x}_i(t) = & \sum_{v_j \in [(N_i \cup \{v_i\}) \setminus R_i(t)] \cap V^C} f_{ij}(x_j^i(t), x_i(t)) \\ & + \sum_{v_j \in [N_i \setminus R_i(t)] \cap V^D} f_{ij}(x_j^i(k), x_i(t)), \quad t \in [k, k+1), \end{aligned} \quad (3)$$

where the function $f_{ij} : \mathbb{R}^2 \rightarrow \mathbb{R}$ satisfies (C_1) f_{ij} is locally Lipschitz continuous, (C_2) $f_{ij}(x, y) = 0 \iff x = y$, and (C_3) $f_{ij}(x, y)(x - y) > 0$ if $x \neq y$. These assumptions will be needed in the proof of main results in Section 3, and see also Remark 2.

In a similar manner, normal agent $v_i \in N \cap V_\theta^D$ ($1 \leq \theta \leq \Theta$) at time k takes the value $x_j^i(k)$ from its neighbor v_j and sorts $\{x_j^i(k)\}_{v_j \in N_i}$ in a non-increasing order. In the first round of removal, we remove values in the above ordered list sequentially starting from the highest value until r_θ values in $N_{i\theta}$ that are higher than $x_i(k)$ are removed. If there are less than r_θ values that are higher than $x_i(k)$ in $N_{i\theta}$, the above removal process continues until all these values are removed. The similar process is adopted for the lowest values. In the second round of removal, let $\Gamma_i(k)$ be the set of values in $N_{i\theta}$ that are higher than $x_i(k)$ in the remaining list. We remove all remaining values that are higher than $\max\{\Gamma_i(k) \cup x_i(k)\}$. Analogously, the same removal process applies for the values that are lower than $x_i(k)$. Finally, we denote by $R_i(k)$ the set of values that are removed in the above two-round procedure of v_i at time k . The agent $v_i \in N \cap V_\theta^D$ updates its value through the following form of $f_i^D(\cdot)$ in (2):

$$x_i(k+1) = \sum_{v_j \in (N_i \cup \{v_i\}) \setminus R_i(k)} w_{ij}(k) x_j^i(k), \quad (4)$$

where $w_{ij}(k)$ characterizes non-negative weight associated with the edge $(v_j, v_i) \in E$ such that (D_1) $w_{ij}(k) = 0$ if $v_j \notin N_i \cup \{v_i\}$, and (D_2) $\sum_{v_j \in (N_i \cup \{v_i\}) \setminus R_i(k)} w_{ij}(k) = 1$.

Remark 1. The two-round removal process is shown in the pseudocode below. Generally, in the first round, all nodes in N_i possessing values greater than the r_θ -th largest value of $N_{i\theta}$ are culled (for the higher half) and those in N_i possessing values less than the r_θ -th smallest value of $N_{i\theta}$ are culled (for the lower half). In the second round, all nodes in N_i possessing values larger than the largest value of $N_{i\theta}$ in the list left are scrapped (for the higher half) and those in N_i possessing values smaller than the smallest value of $N_{i\theta}$ in the list left are scrapped (for the lower half). This strategy is

a natural generalization of W-MSR to accommodate a partitioned network with component-wise robustness. If there is only one subnetwork, i.e., $\Theta = 1$, the first round literally reduces to the ordinary W-MSR^{15,16} and the second round becomes void. It is also worth mentioning that we delete nodes only based on their values and whether they are within the current subnetwork rather than their identities or specific locations in the subnetworks, which are not known to a normal node (see also Remark 4). Hence, as in the ordinary W-MSR algorithms, both normal and malicious nodes might be culled in the two rounds of removal, and we do not require dropping all malicious nodes.

Removal algorithm for a normal node $v_i \in V_\theta^C$

Input: $x_i(t), \{x_j^i(t)\}_{v_j \in N_i}, N_{i\theta}$

Output: $R_i(t)$

```

01  order  $\{x_j^i(t)\}_{v_j \in N_i}$  decreasingly as  $L := (x_{j_1}^i(t), x_{j_2}^i(t), \dots, x_{j_{|N_i|}}^i(t))$ 
02  let  $R_i(t) = \emptyset$  and  $\bar{l} = \max\{1 \leq l \leq |N_i| : x_{j_l}^i(t) > x_i(t)\}$ 
03  let  $a = 0$ 
04  for  $l = 1$  till  $l = \bar{l}$  % first round for the higher half
05    add  $v_{j_l}$  into  $R_i(t)$  and remove  $x_{j_l}^i(t)$  from  $L$ 
06    if  $x_{j_l}^i(t) \in N_{i\theta}$ 
07       $a = a + 1$ 
08    end if
09    if  $a = r_\theta$  or  $L \cap \{x_{j_1}^i(t), \dots, x_{j_l}^i(t)\} \cap N_{i\theta} = \emptyset$ 
10      let  $\Gamma_i(t) = L \cap \{x_{j_1}^i(t), \dots, x_{j_l}^i(t)\} \cap N_{i\theta}$ 
11      break
12    end if
13  end for
14  for each  $x_{j_l}^i(t)$  in  $L$  % second round for the higher half
15    if  $x_{j_l}^i(t) > \max\{\Gamma_i(t) \cup x_i(t)\}$ 
16      add  $v_{j_l}$  into  $R_i(t)$  and remove  $x_{j_l}^i(t)$  from  $L$ 
17    end if
18  end for
19  let  $\underline{l} = \min\{1 \leq l \leq |N_i| : x_{j_l}^i(t) < x_i(t)\}$ 
20  let  $b = 0$ 
21  for  $l = |N_i|$  till  $l = \underline{l}$  % first round for the lower half
22    add  $v_{j_l}$  into  $R_i(t)$  and remove  $x_{j_l}^i(t)$  from  $L$ 
23    if  $x_{j_l}^i(t) \in N_{i\theta}$ 
24       $b = b + 1$ 
25    end if
26    if  $b = r_\theta$  or  $L \cap \{x_{j_l}^i(t), \dots, x_{j_{|N_i|}}^i(t)\} \cap N_{i\theta} = \emptyset$ 
27      let  $\Gamma_i(t) = L \cap \{x_{j_l}^i(t), \dots, x_{j_{|N_i|}}^i(t)\} \cap N_{i\theta}$ 
28      break
29    end if
30  end for
31  for each  $x_{j_l}^i(t)$  in  $L$  % second round for the lower half
32    if  $x_{j_l}^i(t) < \min\{\Gamma_i(t) \cup x_i(t)\}$ 
33      add  $v_{j_l}$  into  $R_i(t)$  and remove  $x_{j_l}^i(t)$  from  $L$ 
34    end if
35  end for

```

Remark 2. In the discrete-time subsystem (4), we do not require a positive bound like $w_{ij}(k) > w > 0$ for all $k \in \mathbb{N}$, which has been imposed by typical W-MSR algorithms.^{16,18,20,34} This is facilitated by the concurrency of both continuous-time and discrete-time subsystems. In the hybrid system, we naturally view the discrete-time dynamics as a process with jump discontinuities at each $k \in \mathbb{N}$ as indicated in Section 2.2. This allows us to use a different approach and lift the restriction on the lower bound. A possible choice for $w_{ij}(k)$ in (4) may be $w_{ij}(k) = (|N_i| + 1 - |R_i(k)|)^{-1}$ uniformly for every active neighbor v_j . For continuous-time subsystem (3), an archetypal choice in the distributed decision making literature is $f_{ij}(x, y) = a_{ij}(x - y)$ with $a_{ij} \geq 0$ being the adjacency weights of the underlying communication graph.^{1,6,7} We referred to the above algorithm as *hybrid (r_1, \dots, r_θ) -resilient strategy* in the sequel. Also note that $V_\theta^C = \emptyset$ or $V_\theta^D = \emptyset$ is allowed for any θ .

Remark 3. Note that the normal agents in G_θ has no knowledge about the identities, i.e., normal/malicious/discrete time/continuous time, or number/size of the subgroups. Therefore, both normal agents and malicious agents can be deleted in the above two-round removal procedure and malicious agents may survive and be involved in the decision making. Our proposed strategy is fully distributed and only minimal information is required. While offering remarkable flexibility on network topology as well as agent dynamics, the complexity of the algorithm is fairly low. As in the case of the ordinary W-MSR algorithms,¹⁶⁻¹⁸ the most time-consuming part is the sorting process, which can be dealt with by standard procedures such as Quicksort. Compared to W-MSR, our strategy just requires an additional round of checking in the neighborhood of each normal agent; cf. the pseudocode above. It is also worth noting that, as in the line of research of W-MSR algorithms, our strategy does not yield a closed estimate of convergence rate (Theorem 2 below) mainly due to the unpredictable behavior of malicious agents.

Remark 4. As mentioned in Remark 3, the normal agents do not need complete information on the size and number of the subgroups in G . However, a normal agent $v_i \in V_\theta$ needs to know whether or not a neighbor is inside V_θ . As in real networks nodes are often partitioned according to different locations/functions/types, etc., this bit of prior information may be obtain through assigning node certain labels. In most existing group or cluster consensus protocols, complete information on all subgroups (group size and identities of nodes) is available to all nodes and is intrinsically embedded into the consensus protocols therein, and complicated matrix algebra conditions are required.²⁵⁻³¹

3 | MAIN RESULTS

In this section, we study the resilient group consensus for hybrid system (3) and (4) in the presence of malicious agents characterized by the (r_1, \dots, r_Θ) -bounded model. For $1 \leq \theta \leq \Theta$ and $t \geq 0$, define $\bar{\alpha}_\theta(t) = \max_{v_i \in N \cap V_\theta} x_i(t)$ and $\underline{\alpha}_\theta(t) = \min_{v_i \in N \cap V_\theta} x_i(t)$ be the highest and lowest values of normal agents in G_θ , respectively. The following result indicates the validity of Definition 2.

Theorem 1. *Consider a directed network $G = (V, E)$ with partition $G = \cup_{\theta=1}^{\Theta} G_\theta$ and $G_\theta = (V_\theta, E_\theta)$ for $1 \leq \theta \leq \Theta$. If normal agents apply the hybrid (r_1, \dots, r_Θ) -resilient strategy, then in the (r_1, \dots, r_Θ) -bounded model, we have*

- $x_i(t) \in [\underline{\alpha}_\theta(0), \bar{\alpha}_\theta(0)]$ for all $t \geq 0$ and $v_i \in N \cap V_\theta^C$;
- $x_i(k+1) \in [\underline{\alpha}_\theta(k), \bar{\alpha}_\theta(k)]$ for all $k \in \mathbb{N}$ and $v_i \in N \cap V_\theta^D$.

Proof. Fix $1 \leq \theta \leq \Theta$. Given $v_i \in N \cap V_\theta^D$, we first show $x_i(k+1) \leq \bar{\alpha}_\theta(k)$ for all $k \in \mathbb{N}$. It follows from (4) that $x_i(k+1)$ is a convex combination of the values $\{x_j^i(k)\}_{v_j \in (N_i \cup \{v_i\}) \setminus R_i(k)}$. For any $v_j \in (N_{i\theta} \cup \{v_i\}) \setminus R_i(k)$, we have $x_j^i(k) \leq \bar{\alpha}_\theta(k)$ since r_θ nodes in $N_{i\theta}$ have been removed in the first round of deletion in the hybrid (r_1, \dots, r_Θ) -resilient strategy and there are no more than r_θ malicious neighbors of v_i in G_θ . For any $v_j \in (N_{i\theta'} \cup \{v_i\}) \setminus R_i(k)$ with $\theta' \neq \theta$, we again have $x_j^i(k) \leq \bar{\alpha}_\theta(k)$. This is because the second round of removal in our strategy ensures either $x_j^i(k) \leq x_i(k)$ or $x_j^i(k) \leq x_l(k)$ for some $v_l \in N \cap N_{i\theta}$. Therefore, we arrived at $x_i(k+1) \leq \bar{\alpha}_\theta(k)$. The other inequality $x_i(k+1) \geq \underline{\alpha}_\theta(k)$ can be obtained analogously. Therefore, the second statement of Theorem 1 is proved.

Next, we consider the continuous-time part. Given $v_i \in N \cap V_\theta^C$, we will first show $x_i(t) \leq \bar{\alpha}_\theta(0)$ for $t \geq 0$ by contradiction. In fact, if this is not true, then there exists some time $t^* \in [k^*, k^* + 1)$ and $t^* < t$ for some $k^* \in \mathbb{N}$ such that (a) $x_j(t') \leq \bar{\alpha}_\theta(0)$ for any $t' \leq t^*$ and $v_j \in N \cap V_\theta$; and (b) $x_i(t^*) = \bar{\alpha}_\theta(0)$ and $\dot{x}_i(t^*) > 0$. Noticing (3), we have

$$0 < \dot{x}_i(t^*) = \sum_{v_j \in [(N_i \cup \{v_i\}) \setminus R_i(t^*)] \cap V^C} f_{ij}(x_j^i(t^*), x_i(t^*)) + \sum_{v_j \in [N_i \setminus R_i(t^*)] \cap V^D} f_{ij}(x_j^i(k^*), x_i(t^*)). \quad (5)$$

Since there are no more than r_θ malicious neighbors of v_i in G_θ , it follows from the first round of removal of our strategy, we have $x_j^i(t^*) \leq \bar{\alpha}_\theta(0) = x_i(t^*)$ for any $v_j \in [(N_{i\theta} \cup \{v_i\}) \setminus R_i(t^*)] \cap V^C$, and from the second round of removal, we similarly have $x_j^i(t^*) \leq \bar{\alpha}_\theta(0) = x_i(t^*)$ for any $v_j \in [(N_{i\theta'} \cup \{v_i\}) \setminus R_i(t^*)] \cap V^C$ with $\theta' \neq \theta$. Due to properties (C_2) and (C_3) , the first term on the right-hand side of (5) is non-positive. Similarly, $x_j^i(k^*) = x_j^i(t^*) \leq \bar{\alpha}_\theta(0) = x_i(t^*)$ for all $v_j \in [(N_{i\theta} \cup \{v_i\}) \setminus R_i(t^*)] \cap V^D$ thanks to the first round of removal. Likewise in view of the second round of removal

of the strategy, we have for any $v_j \in [(N_{i\theta'} \cup \{v_i\}) \setminus R_i(t^*)] \cap V^D$ with $\theta' \neq \theta$, $x_j^i(k^*) = x_j^i(t^*) \leq \bar{\alpha}_\theta(0) = x_i(t^*)$. By (C₂) and (C₃), the second term on the right-hand side of (5) is also non-positive. Nevertheless, this contradicts the expression (5). Hence, we showed $x_i(t) \leq \bar{\alpha}_\theta(0)$ for $t \geq 0$. The other half of the inequality can be shown similarly. \square

It follows from Theorem 1 that the interval $[\underline{\alpha}_\theta(0), \bar{\alpha}_\theta(0)]$ is an invariant set for all normal agents in G_θ . Moreover, the sequence $\{\underline{\alpha}_\theta(k)\}_{k \in \mathbb{N}}$ is monotonically increasing while the sequence $\{\bar{\alpha}_\theta(k)\}_{k \in \mathbb{N}}$ is monotonically decreasing and both of them are bounded. This property will be useful in the analysis of convergence in Theorem 2 below.

Assumption 1. Let $\{\tau_q\}_{q \in \mathbb{N}}$ be the time steps at which the removal set $R_i(t)$ in the hybrid (r_1, \dots, r_Θ) -resilient strategy changes for some $v_i \in N$. We assume that $|\tau_{q+1} - \tau_q| \geq \tau > 0$ for some τ .

Remark 5. Our hybrid (r_1, \dots, r_Θ) -resilient strategy involves temporary removal of nodes and hence the communication network G is time-varying in nature. It is common in distributed coordination to restrict the dwell time so that the change rate is kept in check.^{1,7,36} Assumption 1 is used in Claim 2 of the proof of Theorem 2 below to guarantee the existence of an infinite sequence of time intervals with constant length that knit through these discontinuity points $\{\tau_q\}_{q \in \mathbb{N}}$.

Theorem 2. Consider a directed network $G = (V, E)$ with partition $G = \cup_{\theta=1}^\Theta G_\theta$ and $G_\theta = (V_\theta, E_\theta)$ for $1 \leq \theta \leq \Theta$. Suppose that normal agents apply the hybrid (r_1, \dots, r_Θ) -resilient strategy and Assumption 1 holds. If G is $(2r_1 + 1, \dots, 2r_\Theta + 1)$ -robust, then in the (r_1, \dots, r_Θ) -bounded model, group consensus is reached.

Proof. For any fixed time $t > 0$, there exists some $k \in \mathbb{N}$ such that $t \in [k, k+1)$. We define $\beta_\theta(t) = \bar{\alpha}_\theta(t) - \underline{\alpha}_\theta(t) \geq 0$ for any $1 \leq \theta \leq \Theta$. The normal agents in G_θ that attained the maximum and minimum at time t are respectively denoted as $\bar{V}_\theta(t) = \{v_i \in N \cap V_\theta : x_i(t) = \bar{\alpha}_\theta(t)\}$ and $\underline{V}_\theta(t) = \{v_i \in N \cap V_\theta : x_i(t) = \underline{\alpha}_\theta(t)\}$. Since there are only finite agents, these two sets are not empty. We prove the theorem through a series of claims.

Claim 1. $D^+ \beta_\theta(t) = D^+ \bar{\alpha}_\theta(t) - D^+ \underline{\alpha}_\theta(t) \leq 0$ for all $1 \leq \theta \leq \Theta$ and $t \in (k, k+1)$.

In fact, this can be shown by considering four cases concerning the continuous-time and discrete-time agents. Fix $1 \leq \theta \leq \Theta$. *Case 1:* $\bar{V}_\theta(t) \cap V_\theta^C \neq \emptyset$. Let \bar{i} be the index such that $\dot{x}_{\bar{i}}(t) = \max_{v_i \in \bar{V}_\theta(t) \cap V_\theta^C} \dot{x}_i(t)$. Taking the Dini derivation³⁵ of $\bar{\alpha}_\theta(t)$ along the dynamics of (3) yields

$$\begin{aligned} D^+ \bar{\alpha}_\theta(t) = \dot{x}_{\bar{i}}(t) &= \sum_{v_j \in [(N_{i\theta'} \cup \{v_i\}) \setminus R_i(t)] \cap V^C} f_{\bar{i}j}(x_{\bar{i}}^{\bar{i}}(t), x_j^{\bar{i}}(t)) \\ &+ \sum_{v_j \in [N_{\bar{i}} \setminus R_{\bar{i}}(t)] \cap V^D} f_{\bar{i}j}(x_{\bar{i}}^{\bar{i}}(k), x_j^{\bar{i}}(t)). \end{aligned} \quad (6)$$

When $v_j \in [(N_{i\theta'} \cup \{v_i\}) \setminus R_i(t)] \cap V^C$, we have $x_i(t) \geq x_{\bar{i}}^{\bar{i}}(t)$ since r_θ nodes are deleted from $N_{i\theta'}$ in the first round of removal of our strategy and there are at most r_θ malicious agents in $N_{\bar{i}}$. When $v_j \in [(N_{i\theta'} \cup \{v_i\}) \setminus R_i(t)] \cap V^C$ for $\theta' \neq \theta$, $x_i(t) \geq x_{\bar{i}}^{\bar{i}}(t)$ still holds because of the second round of removal. When $v_j \in [N_{i\theta'} \setminus R_i(t)] \cap V^D$, we have $x_i(t) \geq x_{\bar{i}}^{\bar{i}}(t) = x_{\bar{i}}^{\bar{i}}(k)$ similarly due to the first round of removal. When $v_j \in [N_{i\theta'} \setminus R_i(t)] \cap V^D$ for $\theta' \neq \theta$, we have $x_i(t) \geq x_{\bar{i}}^{\bar{i}}(t) = x_{\bar{i}}^{\bar{i}}(k)$ due to the second round of removal. In view of (6) and (C₃), we have $D^+ \bar{\alpha}_\theta(t) \leq 0$. *Case 2:* $\underline{V}_\theta(t) \cap V_\theta^C \neq \emptyset$. Let \underline{i} be the index such that $\dot{x}_{\underline{i}}(t) = \max_{v_i \in \underline{V}_\theta(t) \cap V_\theta^C} \dot{x}_i(t)$. Taking the Dini derivation of $\underline{\alpha}_\theta(t)$ along the dynamics of (3) yields

$$\begin{aligned} D^+ \underline{\alpha}_\theta(t) = \dot{x}_{\underline{i}}(t) &= \sum_{v_j \in [(N_{i\theta'} \cup \{v_i\}) \setminus R_i(t)] \cap V^C} f_{ij}(x_j^{\underline{i}}(t), x_{\underline{i}}(t)) \\ &+ \sum_{v_j \in [N_{\underline{i}} \setminus R_{\underline{i}}(t)] \cap V^D} f_{ij}(x_j^{\underline{i}}(k), x_{\underline{i}}(t)). \end{aligned} \quad (7)$$

We arrive at $D^+ \underline{\alpha}_\theta(t) \geq 0$ on the basis of an analogous argument as in Case 1. *Case 3:* $\bar{V}_\theta(t) \cap V_\theta^C = \emptyset$. Let $v_{\bar{i}}$ be any agent in $\bar{V}_\theta(t)$. In view of the definition of Dini derivative,³⁵ we have $D^+ \bar{\alpha}_\theta(t) = \dot{x}_{\bar{i}}(t) = 0$ for $t \in (k, k+1)$. *Case 4:* $\underline{V}_\theta(t) \cap V_\theta^C = \emptyset$. Let $v_{\underline{i}}$ be any agent in $\underline{V}_\theta(t)$. By the definition of Dini derivative, we have $D^+ \underline{\alpha}_\theta(t) = \dot{x}_{\underline{i}}(t) = 0$ for $t \in (k, k+1)$. Therefore, we proved Claim 1.

It follows from Theorem 1 that the two sequences $\bar{\alpha}_\theta(k)$ and $\underline{\alpha}_\theta(k)$ are both monotonic and bounded. Hence, for any $1 \leq \theta \leq \Theta$, we have

$$\underline{\ell}_\theta := \lim_{k \rightarrow \infty} \underline{\alpha}_\theta(k) \leq \bar{\ell}_\theta := \lim_{k \rightarrow \infty} \bar{\alpha}_\theta(k). \quad (8)$$

Using Claim 1, we arrive at $\lim_{k \rightarrow \infty} D^+ \beta_\theta(k) = 0$. This result can be enhanced as follows.

Claim 2. $\lim_{t \rightarrow \infty} D^+ \beta_\theta(t) = 0$ for all $1 \leq \theta \leq \Theta$.

If Claim 2 is not true, then there exist $\varepsilon_0 > 0$, $\delta_0 > 0$, and $\{\sigma_p\}_{p \in \mathbb{N}}$ satisfying $\lim_{p \rightarrow \infty} \sigma_p = +\infty$, $D^+ \beta_\theta(\sigma_p) \leq -\varepsilon_0$ and $|\sigma_{p+1} - \sigma_p| > \delta_0$ for $p \in \mathbb{N}$. Fix any interval I such that $I \cap \mathbb{N} = \emptyset$ and $I \cap \{\tau_q\}_{q \in \mathbb{N}} = \emptyset$ (cf. Assumption 1). For any $t \in I$, $D^+ \beta_\theta(t)$ is continuous. Moreover, for any $v_i \in N \cap V_\theta^C$, $\dot{x}_i(t)$ is bounded via assumption (C₁). For any $v_i \in N \cap V_\theta^D$, $\dot{x}_i(t) = 0$ for $t \in I$. Consequently, $\dot{x}_i(t)$ is bounded for all $v_i \in N \cap V_\theta$. Furthermore, $D^+ \beta_\theta(t)$ is uniformly continuous in the interval I .

Thanks to uniform continuity, there exists some $\delta_1 > 0$ such that for all $t^1, t^2 \in I$ and $|t^1 - t^2| < \delta_1$, we have $|D^+ \beta_\theta(t^1) - D^+ \beta_\theta(t^2)| < \varepsilon_0/2$. According to Assumption 1, we can find $0 < \delta_2 < \delta_1$ such that for any $p \in \mathbb{N}$, the interval $[\sigma_p - \delta_2, \sigma_p + \delta_2]$ is a subset of some I (can be different for different p). For $t \in [\sigma_p - \delta_2, \sigma_p + \delta_2]$,

$$\begin{aligned} D^+ \beta_\theta(t) &= -|D^+ \beta_\theta(\sigma_p) - (D^+ \beta_\theta(\sigma_p) - D^+ \beta_\theta(t))| \\ &\leq -(|D^+ \beta_\theta(\sigma_p)| - |D^+ \beta_\theta(\sigma_p) - D^+ \beta_\theta(t)|) \leq -\frac{\varepsilon_0}{2}. \end{aligned} \quad (9)$$

Take $0 < \delta < \delta_2$ such that $\{[\sigma_p - \delta, \sigma_p + \delta]\}_{p \in \mathbb{N}}$ are mutually non-disjoint. By Claim 1 and (9),

$$\int_0^\infty D^+ \beta_\theta(t) dt \leq -\lim_{m \rightarrow \infty} \sum_{p=1}^m \int_{\sigma_p - \delta}^{\sigma_p + \delta} \frac{\varepsilon_0}{2} dt = -\infty. \quad (10)$$

This conflicts the fact that $\beta_\theta(t) \geq 0$ for all t . Therefore, Claim 2 must be true.

We have already shown that $D^+ \bar{\alpha}_\theta(t) \leq 0$ and $D^+ \underline{\alpha}_\theta(t) \geq 0$ for all t . By (8), we have $\lim_{t \rightarrow \infty} \bar{\alpha}_\theta(t) = \lim_{t \rightarrow \infty} \bar{x}_i(t) = \bar{\ell}_\theta$ and $\lim_{t \rightarrow \infty} \underline{\alpha}_\theta(t) = \lim_{t \rightarrow \infty} \underline{x}_i(t) = \underline{\ell}_\theta$. If the following claim is true, then Theorem 2 is shown.

Claim 3. $\bar{\ell}_\theta = \underline{\ell}_\theta$ for all $1 \leq \theta \leq \Theta$.

Suppose that Claim 3 does not hold. Thus, $\bar{\ell}_\theta > \underline{\ell}_\theta$ for some θ . We fix such a θ . Since G_θ is $(2r_\theta + 1)$ -robust, and by Lemma 1 it contains a directed spanning tree under our hybrid (r_1, \dots, r_Θ) -resilient strategy. There is time $T > 0$ and $\varepsilon > 0$ such that $\bar{x}_i(t) > \bar{\ell}_\theta - \varepsilon > \underline{\ell}_\theta + \varepsilon > \underline{x}_i(t)$ for all $t \geq T$. Moreover, regarding the choice of agents v_i and v_i , we have the following possibilities. *Case 1:* $v_i \in V_\theta^C$. Therefore, $\lim_{t \rightarrow \infty} \dot{x}_i(t) = 0$, which indicates $\lim_{t \rightarrow \infty} \bar{x}_j^i(t) - x_i(t) = 0$ for any $v_j \in [(N_i \cup \{v_i\}) \setminus R_i(t)] \cap V^C$ and $\lim_{t \rightarrow \infty, t \in [k, k+1)} \bar{x}_j^i(k) - x_i(t) = 0$ for any $v_j \in [N_i \setminus R_i(t)] \cap V^D$. *Case 2:* $v_i \in V_\theta^D$. Therefore, $\lim_{k \rightarrow \infty} x_i(k) = \bar{\ell}_\theta$ and $\lim_{k \rightarrow \infty} \bar{x}_j^i(k) = \bar{\ell}_\theta$ for any $v_j \in (N_i \cup \{v_i\}) \setminus R_i(k)$. *Case 3:* $v_i \in V_\theta^C$. Therefore, $\lim_{t \rightarrow \infty} \dot{x}_i(t) = 0$, which indicates $\lim_{t \rightarrow \infty} \bar{x}_j^i(t) - x_i(t) = 0$ for any $v_j \in [(N_i \cup \{v_i\}) \setminus R_i(t)] \cap V^C$ and $\lim_{t \rightarrow \infty, t \in [k, k+1)} \bar{x}_j^i(k) - x_i(t) = 0$ for any $v_j \in [N_i \setminus R_i(t)] \cap V^D$. *Case 4:* $v_i \in V_\theta^D$. Therefore, $\lim_{k \rightarrow \infty} x_i(k) = \underline{\ell}_\theta$ and $\lim_{k \rightarrow \infty} \bar{x}_j^i(k) = \underline{\ell}_\theta$ for any $v_j \in (N_i \cup \{v_i\}) \setminus R_i(k)$.

Since G_θ has finitely many agents, there exists $T' \geq T$ admitting two directed paths one of them connecting the root v_r to v_i and the other path connecting v_r to v_i at time T' . The two inequalities $x_r(T') > \bar{\ell}_\theta - \varepsilon$ and $x_r(T') < \underline{\ell}_\theta + \varepsilon$ hold as well. This however conflicts with the condition $\bar{\ell}_\theta - \varepsilon > \underline{\ell}_\theta + \varepsilon$. Therefore, Claim 3 and the theorem are proved. \square

As a generalization of ordinary consensus problem, Roy³⁷ introduced scaled consensus which is desirable for applications in for example water distribution systems, closed queuing networks and tests for simulating robots, where multiscale coordination control is essential. Fix $(s_1, s_2, \dots, s_n) \in \mathbb{R}^n$ and $s_i \neq 0$ for all $i = 1, \dots, n$. We present the definition of resilient scaled group consensus as follows.

Definition 4 (Resilient scaled group consensus for hybrid systems). For (s_1, \dots, s_n) , the normal agents in G is said to achieve resilient scaled group consensus if the following two conditions hold for all $1 \leq \theta \leq \Theta$. (i) Validity: For any $v_i \in N \cap V_\theta$ and $t \geq 0$, $x_i(t) \in [\min_{v_i \in N \cap V_\theta} x_i(0), \max_{v_i \in N \cap V_\theta} x_i(0)]$; and (ii) Convergence: For any initial conditions $\{x_i(0)\}_{v_i \in V}$, there exists $\ell_\theta \in \mathbb{R}$ such that $\lim_{k \rightarrow \infty} x_i(k) = \ell_\theta s_i^{-1}$ for $v_i \in N \cap V_\theta$ and $\lim_{t \rightarrow \infty} x_i(t) = \ell_\theta s_i^{-1}$ for $v_i \in N \cap V_\theta^C$.

If $s_1 = s_2 = \dots = s_n = 1$, the resilient scaled group consensus is reduced to resilient group consensus in Definition 2. Scaled group consensus has been studied for discrete-time and continuous-time dynamics in the perfect condition, where

no malicious agents are present.^{30,31} To accommodate malicious agents as well as hybrid dynamics, we extend hybrid (r_1, \dots, r_Θ) -resilient strategy in Section 2.3 to the following “scaled” strategy.

Fix $r_1, r_2, \dots, r_\Theta \in \mathbb{N}$. For any $k \in \mathbb{N}$, a normal agent $v_i \in N \cap V_\theta^C$ ($1 \leq \theta \leq \Theta$) at $t \in [k, k+1)$ takes the value $x_i^j(t)$ from its neighbor v_j , and sorts $\{s_j x_j^i(t)\}_{v_j \in N_i}$ in a non-increasing order. We then perform a two-round removal procedure. In the first round, we remove values in the above ordered list sequentially starting from the highest value until r_θ values in $N_{i\theta}$ that are higher than $s_i x_i(t)$ are removed. If there are less than r_θ values that are higher than $s_i x_i(t)$ in $N_{i\theta}$, the above removal process continues until all these values are removed. Analogously, we perform the same removal process for the lowest values. In the second round, redefine $\Gamma_i(t)$ be the set of values in $N_{i\theta}$ that are higher than $s_i x_i(t)$ in the remaining list. We remove all remaining values that are higher than $\max\{\Gamma_i(t), s_i x_i(t)\}$. Similarly, we perform the analogous removal process for the values that are lower than $s_i x_i(t)$. Finally, we denote by $R_i(t)$ the set of values that are removed in the above two-round removal procedure of v_i at time t . The agent $v_i \in N \cap V_\theta^C$ updates its value through the following $f_i^C(\cdot)$ in (1):

$$\begin{aligned} \dot{x}_i(t) = & \operatorname{sgn}(s_i) \sum_{v_j \in [(N_i \cup \{v_i\}) \setminus R_i(t)] \cap V^C} f_{ij}(s_j x_j^i(t), s_i x_i(t)) \\ & + \operatorname{sgn}(s_i) \sum_{v_j \in [N_i \setminus R_i(t)] \cap V^D} f_{ij}(s_j x_j^i(k), s_i x_i(t)), \quad t \in [k, k+1), \end{aligned} \quad (11)$$

where the function f_{ij} satisfies (C_1) , (C_2) , and (C_3) as in Section 2.

In a similar manner, normal agent $v_i \in N \cap V_\theta^D$ ($1 \leq \theta \leq \Theta$) at time k takes the value $x_j^i(k)$ from its neighbor v_j and sorts $\{s_j x_j^i(k)\}_{v_j \in N_i}$ in a non-increasing order. In the first round of removal, we remove values in the above ordered list sequentially starting from the highest value until r_θ values in $N_{i\theta}$ that are higher than $s_i x_i(k)$ are removed. If there are less than r_θ values that are higher than $s_i x_i(k)$ in $N_{i\theta}$, the above removal process continues until all these values are removed. The similar process is adopted for the lowest values. In the second round of removal, let $\Gamma_i(k)$ be the set of values in $N_{i\theta}$ that are higher than $s_i x_i(k)$ in the remaining list. We remove all remaining values that are higher than $\max\{\Gamma_i(k), s_i x_i(k)\}$. Analogously, the same removal process applies for the values that are lower than $s_i x_i(k)$. Finally, we denote by $R_i(k)$ the set of values that are removed in the above two-round procedure of v_i at time k . The agent $v_i \in N \cap V_\theta^D$ updates its value through the following $f_i^D(\cdot)$ in (2):

$$x_i(k+1) = \operatorname{sgn}(s_i) \sum_{v_j \in (N_i \cup \{v_i\}) \setminus R_i(k)} w_{ij}(k) s_j x_j^i(k), \quad (12)$$

where $w_{ij}(k)$ delineates non-negative weight on edge $(v_j, v_i) \in E$ such that the same (D_1) and (D'_2) $\sum_{v_j \in (N_i \cup \{v_i\}) \setminus R_i(k)} |s_j| w_{ij}(k) = 1$ hold.

For $1 \leq \theta \leq \Theta$ and $t \geq 0$, redefine $\bar{\alpha}_\theta(t) = \max_{v_i \in N \cap V_\theta^C} s_i x_i(t)$ and $\underline{\alpha}_\theta(t) = \min_{v_i \in N \cap V_\theta^D} s_i x_i(t)$. The following theorem can be shown along the same line of Theorem 2.

Theorem 3. Consider a directed network $G = (V, E)$ with partition $G = \cup_{\theta=1}^\Theta G_\theta$ and $G_\theta = (V_\theta, E_\theta)$ for $1 \leq \theta \leq \Theta$. Suppose that normal agents apply the above scaled hybrid (r_1, \dots, r_Θ) -resilient strategy and Assumption 1 holds. If G is $(2r_1 + 1, \dots, 2r_\Theta + 1)$ -robust, then in the (r_1, \dots, r_Θ) -bounded model scaled group consensus is reached.

4 | NUMERICAL SIMULATIONS

In this section, we first consider a multi-agent system over directed network $G = (V, E)$ with $G = G_1 \cup G_2$, $V_1 = \{v_1, \dots, v_5\}$, $V_2 = \{v_6, v_7, v_8\}$; see Figure 1. The agents' dynamics are hybrid with $V_1^C = \{v_1, v_4\}$, $V_1^D = \{v_2, v_3, v_5\}$, $V_2^C = \emptyset$, $V_2^D = \{v_6, v_7, v_8\}$, and there is a malicious agent $M = \{v_5\}$ present in the network. Note that G_1 is 3-robust and G_2 is 1-robust. The malicious agent v_5 is highly connected and can influence both subgroups G_1 and G_2 , posing a significant threat to the decision making of the normal agents.

Example 1. We take the initial condition of the agents in G as $x_1(0) = 1$, $x_2(0) = -3$, $x_3(0) = 0$, $x_4(0) = 2$, $x_5(0) = 1.5$, $x_6(0) = -1$, $x_7(0) = -2$, and $x_8(0) = 3$. The malicious agent v_5 is assumed to follow its own dynamics as $x_5(k+1) = x_5(k)/2 + \ln(k/10)$. We assume that normal agents follow $f_{ij}(x, y) = (x - y)/2$ in (3) if they have continuous-time dynamics, and we take $w_{ij}(k) = 1/(|N_i| + 1 - |R_i(k)|)$ for $v_j \in (N_i \cup \{v_i\}) \setminus R_i(k)$ in (4) if they have discrete-time dynamics.

Since G_1 is 3-robust with one malicious agent and G_2 is 1-robust with all normal ones, we show in Figure 2 the state trajectories of the agents following our hybrid (1,0)-resilient strategy. We observe that agents in G_1 and G_2 are able to reach group consensus despite the presence of malicious agent v_5 . The gap between the final state of agents in G_1 (green curves) and that in G_2 (blue curves) indicates that group consensus has been achieved say when $t \geq 10$. This agrees well with the prediction of Theorem 2.

Example 2. In the second example, we consider the scaled group consensus with the scales setting as $(s_1, \dots, s_8) = (1, 1, -1, -1, -1, 1, 1, 1)$, meaning that agents in G_1 will be split into two opposite values while agents in G_2 will reach a single local consensus. We choose the initial condition of the agents in as $x_1(0) = -2, x_2(0) = 1, x_3(0) = 2, x_4(0) = 4, x_5(0) = -1.5, x_6(0) = -2.5, x_7(0) = 0.5,$ and $x_8(0) = -3$. The dynamics of agents in G are the same as in Example 1. The state trajectories of the agents are shown in Figure 3 following the scaled hybrid (1,0)-resilient strategy presented above Theorem 3. It can be observed that v_1 and v_2 reach a consensus value (around -0.16), which is opposite to the consensus achieved by v_3 and v_4 (around 0.16). Moreover, the agents in G_2 reach a separate consensus (around -0.85). The qualitative results agree with Theorem 3.

Next, we consider the consensus time for large robust networks albeit an analytical estimation is not available; cf. Remark 3. It is shown in Zhang et al.³⁸ that determining the robustness of an arbitrary graph is an NP-hard problem. Here, we consider an Erdős-Rényi random graph $G(n, p_r)$ with edge probability $p_r = 10(\ln n + r \ln \ln n)n^{-1}$ for $r \in \mathbb{N}$. As is known, such a graph is almost surely $(2r + 1)$ -robust.³⁸




FIGURE 1 A schematic illustration of network $G = G_1 \cup G_2$ with $G_1 = (V_1, E_1)$ being 3-robust and $G_2 = (V_2, E_2)$ being 1-robust for Examples 1 and 2. Here, $V_1 = \{v_1, \dots, v_5\}$, $V_2 = \{v_6, v_7, v_8\}$, and $M = \{v_5\}$ [Colour figure can be viewed at wileyonlinelibrary.com]




FIGURE 2 State trajectories of the agents in Example 1 following the hybrid (1,0)-resilient strategy, where v_5 is malicious [Colour figure can be viewed at wileyonlinelibrary.com]




FIGURE 3 State trajectories of the agents in Example 2 following the scaled hybrid (1,0)-resilient strategy, where v_5 is malicious [Colour figure can be viewed at wileyonlinelibrary.com]





FIGURE 4 State trajectories of 40 agents from $G(500, p_1)$ and one malicious agent in Example 3 following (A) the hybrid (1,1)-resilient strategy and (B) the hybrid resilient strategy in Shang¹⁵ [Colour figure can be viewed at wileyonlinelibrary.com]

Example 3. We take the initial condition of the agents in $G(n, p_r)$ following the uniform distribution over the unit interval (0,1). Moreover, we consider $\Theta = 2$ and $|V_\theta^C| = |V_\theta^D| = n/4$ for $\theta = 1, 2$. Hence, the two subnetworks G_1 and G_2 and $G(n, p_r)$ itself are all $(2r + 1)$ -robust for large n . In each subnetwork, we randomly choose r malicious agents following their own dynamics as $\dot{x}_i(t) = -\rho_1 x_i(t) + \rho_2 \cos(t/2)$ for all $v_i \in M$, where ρ_1 and ρ_2 are taken randomly in the interval (0,0.1) for each malicious agent. We assume that normal agents follow $f_{ij}(x, y) = x - y$ in (3) if they have continuous-time dynamics, and we take $w_{ij}(k) = 1 / (|N_i| + 1 - |R_i(k)|)$ for $v_j \in (N_i \cup \{v_i\}) \setminus R_i(k)$ in (4) if they have discrete-time dynamics.

In Figure 4A, we illustrate the state evolution for a subset of 20 agents in G_1 and 20 agents in G_2 in the network $G(500, p_r)$ (together with the r malicious agents) following our hybrid (r, r) -resilient strategy with $r = 1$. As a comparison, we plot in Figure 4B the corresponding state evolution with the same initial conditions following the hybrid resilient strategy in Shang,¹⁵ where $G(n, p_r)$ as a whole is viewed as a monolithic network. As one would expect, in both cases, consensus has been finally reached despite the interference of the malicious agent. Through extensive simulations for different n and r , we observe that there is no obvious difference in terms of convergence time. This is worth noting as our current group consensus strategy with the two-round removal procedure in general deletes more nodes as compared to the non-group strategy in the previous work.¹⁵

FIGURE 5 Consensus time $t^*(0.001)$ over $G(n, p_r)$ for different n and r in Example 3. Results are averaged over 20 independent simulations



To quantify the consensus time for the current hybrid (r, r) -resilient strategy, we formally define

$$t^*(\varepsilon) := \min \left\{ t \geq 0 : \max_{\substack{v_{i_1}, v_{i_2} \in N \cap V_\theta \\ 1 \leq \theta \leq \Theta}} |x_{i_1}(t) - x_{i_2}(t)| \leq \varepsilon \right\} \quad (13)$$

for a small ε . From Figure 5, we observe that the consensus time $t^*(\varepsilon)$ for $G(n, p_r)$ is increasing nearly linearly with respect to both the network size. Furthermore, the consensus time also increases when the network robustness grows. This reveals that although $G(n, p_r)$ with a larger r is denser, the effect of two-round removal seems to have more influence on the consensus seeking dynamics (as more edges will be deleted for a larger r).

5 | CONCLUSION

In this paper, we considered distributed coordination of hybrid dynamical systems composed of agents with both discrete-time and continuous-time dynamics. The concept of heterogeneous robustness is introduced to facilitate consensus analysis of the network where agents interact between and within multiple subgraphs. We proposed a purely distributed hybrid resilient strategy enabling resilient group consensus of normal agents in the network, where malicious agents are bounded in the neighborhoods. The theoretical framework is then extended to the scaled group consensus to allow different convergence clusters in each subgroup. Interesting future research directions could be the extension to higher-order multi-agent systems and communication constraints including the delays.

ACKNOWLEDGEMENT

This work was supported by UoA Flexible Fund No. 201920A1001. The author would like to thank the two anonymous reviewers for their valuable comments that helped to improve the quality of the paper.

AUTHOR CONTRIBUTIONS

Y. S. wrote the paper.

FUNDING INFORMATION

None reported.

CONFLICT OF INTEREST

The author declares no potential conflict of interests.

ORCID

Yilun Shang  <https://orcid.org/0000-0002-2817-3400>

REFERENCES

1. Olfati-Saber R, Fax JA, Murray RM. Consensus and cooperation in networked multi-agent systems. *Proc IEEE*. 2007;95:215-233.
2. Boyd S, Ghosh A, Prabhakar B, Shah D. Randomized gossip algorithms. *IEEE Trans Inf Theory*. 2006;52:2508-2530.
3. Dong X, Yu B, Shi Z, Zhong Y. Time-varying formation control for unmanned aerial vehicles: theories and applications. *IEEE Trans Contr Syst Tech*. 2015;23:340-348.
4. Quattrocioni W, Caldarelli G, Scala A. Opinion dynamics on interacting networks: media competition and social influence. *Sci Rep*. 2014;4(art. no. 4938).
5. Vicsek T, Zafeiris A. Collective motion. *Phys Rep*. 2012;517:71-140.
6. Ge X, Yang F, Han Q-L. Distributed networked control systems: a brief overview. *Inf Sci*. 2017;380:117-131.
7. Yu W, Wen G, Chen G, Cao J. *Distributed Cooperative Control of Multi-agent Systems*. Singapore: Wiley & Higher Education Press; 2016.
8. Goebel R, Sanfelice RG, Teel AR. *Hybrid Dynamical Systems: Modeling, Stability, and Robustness*. Princeton: Princeton University Press; 2012.
9. Rad FM, Fung AS. Solar community heating and cooling system with borehole thermal energy storage—review of systems. *Renew Sust Energ Rev*. 2016;60:1550-1561.
10. Bohrer B, Platzer A. A hybrid dynamic logic for hybrid-dynamic information flow. *Proc. 33rd Annual ACM/IEEE Symposium on Logic in Computer Science*. 2018:115-124.
11. Javaid CJ, Allahham A, Giaouris D, Blake S, Taylor P. Modelling of a virtual power plant using hybrid automata. *J Eng*. 2019;2019:3918-3922.
12. Zheng Y, Ma J, Wang L. Consensus of hybrid multi-agent systems. *IEEE Trans Neural Netw Learn Syst*. 2018;29:1359-1365.
13. Zheng Y, Zhao Q, Ma J, Wang L. Second-order consensus of hybrid multi-agent systems. *Syst Cont Lett*. 2019;125:51-58.
14. Ma J, Ye M, Zheng Y, Zhu Y. Consensus analysis of hybrid multiagent systems: a game-theoretic approach. *Int J Robust Nonlinear Control*. 2019;29:1840-1853.
15. Shang Y. Consensus of hybrid multi-agent systems with malicious nodes. *IEEE Trans Circuits Syst Express Briefs*. 2020;67:685-689.
16. LeBlanc HJ, Zhang H, Koutsoukos X, Sundaram S. Resilient asymptotic consensus in robust networks. *IEEE J Select Areas Commun*. 2013;31:766-781.
17. Wu Y, He X. Secure consensus control for multi-agent systems with attacks and communication delays. *IEEE / CAA J Autom Sinica*. 2017;4:136-142.
18. Shang Y. Resilient consensus of switched multi-agent systems. *Syst Contr Lett*. 2018;122:12-18.
19. Sundaram S, Gharesifard B. Distributed optimization under adversarial nodes. *IEEE Trans Autom Contr*. 2019;64:1063-1076.
20. Fiore D, Russo G. Resilient consensus for multi-agent systems subject to differential privacy requirements. *Automatica*. 2019;106:18-26.
21. Zheng Y, Wang L. Consensus of switched multiagent systems. *IEEE Trans Circuits Syst Express Briefs*. 2016;63:314-318.
22. Shang Y. Scaled consensus of switched multi-agent systems. *IMA J Math Contr Inf*. 2019;36:639-657.
23. Cheng MX, Ling Y, Sadler BM. Network connectivity assessment and improvement through relay node deployment. *Comput Sci*. 2017;660:86-101.
24. Li J, Jiang J, Yang K, Chen Y. Research on functional robustness of heterogeneous combat networks. *IEEE Syst J*. 2019;13:1487-1495.
25. Tan C, Yue L, Li Y, Liu G-P. Group consensus control for discrete-time heterogeneous multi-agent systems with time delays. *Neurocomputing*. 2020;392:70-85.
26. Feng Y, Zheng WX. Group consensus control for discrete-time heterogeneous first- and second-order multi-agent systems. *IET Control Theor Appl*. 2018;12:753-760.
27. Qin J, Ma Q, Zheng WX, Gao H, Kang Y. Robust H_∞ group consensus for interacting clusters of integrator agents. *IEEE Trans Autom Contr*. 2017;62:3559-3566.
28. Shang Y. Fixed-time group consensus for multi-agent systems with non-linear dynamics and uncertainties. *IET Control Theor Appl*. 2018;12:395-404.
29. Ji L, Yu X, Li C. Group consensus for heterogeneous multiagent systems in the competition networks with input time delays. *IEEE Trans Syst Man Cybern Syst*. <https://doi.org/10.1109/TSMC.2018.2858556>
30. Hou B, Sun F, Li H, Chen Y, Liu G. Scaled cluster consensus of discrete-time multi-agent systems with general directed topologies. *Int J Syst Sci*. 2016;47:3839-3845.
31. Yu J, Shi Y. Scaled group consensus in multiagent systems with first/second-order continuous dynamics. *IEEE Trans Cybern*. 2018;48:2259-2271.
32. Öksüz HY, Akar M. Resilient group consensus in the presence of Byzantine agents. *Int J Control*. <https://doi.org/10.1080/00207179.2019.1618496>
33. Chen Y, Kar S, Moura JMF. The Internet of Things: secure distributed inference. *IEEE Trans Sig Process Mag*. 2018;35:64-75.
34. Shang Y. Resilient consensus for expressed and private opinions. *IEEE Trans Cybern*. <https://doi.org/10.1109/TCYB.2019.2939929>
35. Danskin JM. The theory of max-min, with applications. *SIAM. J Appl Math*. 1966;14:641-664.

36. Komareji M, Shang Y, Bouffanais R. Consensus in topologically interacting swarms under communication constraints and time-delays. *Nonlinear Dyn.* 2018;93:1287-1300.
37. Roy S. Scaled consensus. *Automatica.* 2015;51:259-262.
38. Zhang H, Fata E, Sundaram S. A notion of robustness in complex networks. *IEEE Trans Contr Netw Syst.* 2015;2:310-320.

How to cite this article: Shang Y. Resilient group consensus in heterogeneously robust networks with hybrid dynamics. *Math Meth Appl Sci.* 2020;1–14. <https://doi.org/10.1002/mma.6844>